

Section V - REACTIVITY DATA

<i>Stability:</i>	STABLE
Incompatibility (Conditions or Materials to Avoid):	NONE ESTABLISHED
Hazardous Decomposition of Byproducts:	INCOMPLETE COMBUSTION CAN PRODUCE HYDROCARBONS SUCH AS CARBON MONOXIDE
Hazardous Polymerization:	WILL NOT OCCUR
Conditions to Avoid:	KEEP FROM FREEZING. STORE BETWEEN 40° AND 90°F

Section VI - HEALTH HAZARD DATA*Routes of Entry:*

<i>Eyes:</i>	IRRITANT
<i>Inhalation:</i>	MILD IRRITANT
<i>Skin:</i>	MILD IRRITANT
<i>Ingestion:</i>	SUBJECT TO METHANOL POISONING

Health Data Comment - Additional:

VINYL ACETATE HAD BEEN SHOWN TO CAUSE CANCER IN TEST LAB ANIMALS. OVEREXPOSURE MAY INCREASE CANCER RISK. OVEREXPOSURE TO VINYL ACETATE SHOULD NOT OCCUR WITH NORMAL USE. METHANOL POISONING MY OCCUR FROM INGESTION. ONSET OF SYMPTOMS MAY BE DELAYED AS MUCH AS 30 HOURS.

<i>Carcinogenicity:</i>	CLASSIFIED	YES
	NTP:	NO
	IARC Monographs:	NO
	OSHA Regulated:	NO

Signs and Symptoms of Exposure:

NAUSEA, BLURRING OF VISION, FATIGUE, NON-SPECIFIC HEADACHE, MILD SKIN IRRITATION. IRRITATION TO NOSE, THROAT, AND/OR UPPER RESPIRATORY TRACT.

Medical Conditions Generally Aggravated by Exposure:

NO KNOWN EFFECTS ON OTHER ILLNESSES.

Emergency & First Aid Procedures:

<i>Ingestion:</i>	IF VICTIM IS CONSCIOUS GIVE AT LEAST 2 LARGE GLASSES OF WATER AND CALL PHYSICIAN IMMEDIATELY.
<i>Eyes:</i>	FLUSH WITH WATER FOR ATLEAST 15 MINUTES. SEEK MEDICAL ATTENTION IF NECESSARY.
<i>Skin:</i>	WASH WITH MILD SOAP AND WATER THOROUGHLY. SEEK MEDICAL ATTENTION IF SYMPTOMS PERSIST.
<i>Inhalation:</i>	REMOVE TO FRESH AIR.

Section VII - PRECAUTIONS FOR SAFE HANDLING AND USE*Steps to be taken in case Material is released or spilled:*

DIKE IF NECESSARY, CONTAIN SPILL WITH INERT ABSORBENT AND TRANSFER TO CONTAINERS FOR DISPOSAL. KEEP SPILLED PRODUCT OUT OF SEWERS, WATERSHEDS, OR WATER SYSTEMS. SPILLS MAY CAUSE SLIPPERY SURFACE. KEEP SPECTATORS AWAY.

Waste Disposal Method:

COAGULATE LIQUID WITH ADDITION OF FERRIC CHLORIDE AND LIME. DISPOSE OF IN APPROVED LANDFILL ACCORDING TO ALL LOCAL, STATE, AND FEDERAL REGULATIONS.

Precautions to be Taken in Handling and Storage:

IN STORAGE, MONOMER VAPORS WILL MIGRATE FROM THE EMULSION ESTABLISH AN EQUILIBRIUM BETWEEN THE HEADSPACE IN THE STORAGE CONTAINER & THE LIQUID EMULSION. ALL PROCEDURES APPROPRIATE FOR A CONFINED SPACE ENTRY SHOULD BE COMPLETED PRIOR TO ANY WORK IN BULK STORAGE.

Other Precautions:

KEEP FROM FREEZING. DRIED MATERIAL IS HARD TO REMOVE. MATERIAL MAY DEVELOP BACTERIA ODOR ON LONG TERM STORAGE. USE WITHIN SIX MONTHS.

FOR INDUSTRIAL USE ONLY**Section VIII - CONTROL MEASURES**

<i>Respiratory Protection (Type):</i>	NOT NORMALLY REQUIRED
<i>Ventilation: Local Exhaust:</i>	PROVIDE STANDARD VENTILATION
<i>Mechanical (General):</i>	
<i>Special:</i>	
<i>Other:</i>	
Protective Clothing:	FOR REPEATED USE - RUBBER GLOVES
Eye Protection:	SAFETY GLASSES RECOMMENDED
Other Protective Clothing or Equipment:	PROTECTING CLOTHING IF PREFERRED BY USER
Work/Hygienic Practices:	PRACTICE GOOD HOUSEKEEPING AND PERSONAL HYGIENE.