

Section I - IDENTIFICATION

TRADE NAME: LAMBCO® CEMENT PATCH LIQUID™

MANUFACTURER: Lambert Corporation
20 N. Coburn
Orlando, FL 32805

PREPARED BY: Steve Kuhle

PREPARATION DATE: 10/15/2007

TELEPHONE NUMBER: (407) 841-2940

EMERGENCY NUMBER: (800) 424-9300 - Chemtrec



Section II - HAZARDOUS INGREDIENTS

<u>Hazardous Ingredients</u>	<u>CAS NUMBER</u>	<u>PEL</u> <u>OSHA (PPM)</u>	<u>TLV:</u> <u>ACGIH (PPM)</u>	<u>OTHER</u> <u>LIMITS</u>
Polyethylene glycol octyl phenyl ether	9036-19-5	N/E	N/E	

GENERAL INFORMATION: This document supersedes all previous versions. To the best of our knowledge the information contained herein is correct. Lambert Corporation of Florida, Inc. assumes no responsibility for accuracy or completeness. User is responsible for suitability.

HMIS	
Health	0
Flammability	0
Reactivity	0
Personal Protection	F

Section III - PHYSICAL DATA / CHEMICAL CHARACTERISTICS

<i>Boiling Point</i>	N/E	<i>Specific Gravity (H₂O = 1):</i>	1.07
<i>Vapor Pressure (mm Hg):</i>	N/E	<i>Melting Point</i>	N/E
<i>Vapor Density (AIR=1):</i>	N/E	<i>Evaporation Rate (Butyl Acetate = 1):</i>	N/E
<i>Solubility in Water:</i>	N/E	<i>Appearance and Odor:</i>	White Liquid, Sweet/Mild Odor

Section IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used): NON-FLAMMABLE

Flammable Limits: Non-Flammable **LEL:** N/A **UEL:** N/A

Extinguishing Media: WATER SPRAY, DRY FOAM, DRY CHEMICAL OR CARBON DIOXIDE ON DRY PRODUCT.

Special Fire Fighting Procedures: PERSONS EXPOSED TO PRODUCTS OF COMBUSTION SHOULD WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE EQUIPMENT.

Unusual Fire and Explosion Hazards: THERE IS A POSSIBILITY OF PRESSURE BUILD UP IN CLOSED CONTAINERS WHEN HEATED. USE WATER SPRAY TO COOL CONTAINERS.

Section V - REACTIVITY DATA

Stability: **STABLE**

Incompatibility (Conditions or Materials to Avoid): NOT ESTABLISHED

Hazardous Decomposition of Byproducts: CARBON DIOXIDE, CARBON MONOXIDE

Hazardous Polymerization: **WILL NOT OCCUR**

Conditions to Avoid: N/A

Section VI - HEALTH HAZARD DATA

<i>Routes of Entry:</i>	<i>Eyes:</i>	NONE IN NORMAL USE
	<i>Inhalation:</i>	MINOR IRRITATION
	<i>Skin:</i>	NONE IN NORMAL USE
	<i>Ingestion:</i>	NOT LIKELY

Health Hazards (Acute and Chronic):

NONE

<i>Carcinogenicity:</i>	CLASSIFIED	NO
	NTP:	N/A
	IARC Monographs:	N/A
	OSHA Regulated:	N/A

Signs and Symptoms of Exposure:

DIRECT AND REPEATED EYE AND SKIN CONTACT MAY CAUSE MILD IRRITATION. EXPOSURE TO VAPORS IN POORLY VENTILATED AREAS MAY CAUSE IRRITATION TO THE NOSE, THROAT AND UPPER RESPIRATORY TRACT.

Medical Conditions Generally Aggravated by Exposure:

NO KNOWN EFFECTS ON OTHER ILLNESSES.

Emergency & First Aid Procedures:

INGESTION:	DO NOT INDUCE VOMITING. SEEK MEDICAL ATTENTION IF SYMPTOMS DEVELOP. INDUCED VOMITING MAY LEAD TO ASPIRATION OF MATERIAL
EYES:	FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES
SKIN:	WASH THOROUGHLY WITH SOAP & WATER
INHALATION:	REMOVE TO FRESH AIR.

Section VII - PRECAUTIONS FOR SAFE HANDLING AND USE*Steps to be taken in case Material is released or spilled:*

NO ADVERSE HEALTH EFFECTS EXPECTED FROM THE CLEAN-UP OF SPILLED MATERIAL. DIKE IF NECESSARY, CONTAIN SPILL WITH INERT ABSORBENT AND TRANSFER TO CONTAINERS FOR DISPOSAL. KEEP AWAY FROM SEWERS, WATERSHEDS, OR WATER SYSTEMS.

Waste Disposal Method:

SOLIDIFY AND DISPOSE OF IN AN APPROVED INDUSTRIAL LANDFILL ACCORDING TO ALL FEDERAL STATE AND LOCAL REGULATIONS.

Precautions to be Taken in Handling and Storage:

THIS PRODUCT CONTAINS LIMITED AMOUNTS OF RESIDUAL MONOMER. UNDER NORMAL HANDLING AND USE CONDITIONS THE RESIDUAL MONOMER SHOULD NOT PRESENT A HAZARD. IN STORAGE THE MONOMER WILL MIGRATE FROM THE EMULSION AND ESTABLISH AN EQUILIBRIUM BETWEEN THE HEADSPACE IN THE STORAGE CONTAINER AND THE LIQUID EMULSION. LEVELS IN EXCESS OF ACCEPTABLE EXPOSURES CAN ACCUMULATE IN NON-VENTED HEADSPACES ABOVE THE EMULSION. ALL PROCEDURES APPROPRIATE FOR A CONFINED SPACE ENTRY SHOULD BE COMPLETED PRIOR TO PERFORMING ANY WORK IN A BULK STORAGE TANK.

Other Precautions:

STORE IN COOL, DRY PLACE.

FOR INDUSTRIAL USE ONLY

SHIPPING CLASS: 55

Section VIII - CONTROL MEASURES

<i>Respiratory Protection (Type):</i>	FOLLOW OSHA RESPIRATORY STANDARD TO AVOID OVEREXPOSURE
<i>Ventilation: Local Exhaust:</i>	PROVIDE STANDARD INDUSTRIAL VENTILATION
<i>Mechanical (General):</i>	
<i>Special:</i>	
<i>Other:</i>	
Protective Gloves:	USE NITRILE GLOVES IF CONDITIONS WARRANT
Eye Protection:	SAFETY GOGGLES ARE RECOMMENDED
Other Protective Clothing or Equipment:	PROTECTIVE CLOTHING IS PREFERRED. LAUNDRY CONTAMINATED CLOTHING BEFORE REUSE. AN EYE BATH IS SUGGESTED IN THE VICINITY OF USE.
Work/Hygienic Practices:	PRACTICE GOOD HOUSEKEEPING. USE GOOD PERSONAL HYGIENE PRACTICES.