



**Section V - REACTIVITY DATA**

<i>Stability:</i>	<b>STABLE</b>
Incompatibility (Conditions or Materials to Avoid):	N/A
Hazardous Decomposition of Byproducts:	NONE KNOWN
Hazardous Polymerization:	<b>WILL NOT OCCUR</b>
Conditions to Avoid:	NONE KNOWN

**Section VI - HEALTH HAZARD DATA***Routes of Entry:*

<i>Eyes:</i>	IRRITANT
<i>Inhalation:</i>	IRRITANT
<i>Skin:</i>	MODERATE IRRITANT
<i>Ingestion:</i>	SEVERE IRRITANT

*Health Data Comment - Additional:*

ACUTE OVER-EXPOSURE MAY CAUSE ANESTHESIA, HEADACHE, NAUSEA & DIZZINESS. DELIBERATE MISUSE OF INTENTIONALLY INHALING VAPOR MAY BE HARMFUL OR FATAL.

<i>Carcinogenicity:</i>	CLASSIFIED	YES
	NTP:	NO
	IARC Monographs:	EST. GROUP 2A
	OSHA Regulated:	YES

*Signs and Symptoms of Exposure:*

REPORTS HAVE ASSOCIATED REPEATED AND PROLONGED OCCUPATIONAL OVER-EXPOSURE TO SOLVENTS WITH PERMANENT BRAIN & NERVOUS SYSTEM DAMAGE.

*Medical Conditions Generally Aggravated by Exposure:*

NONE KNOWN

*Emergency & First Aid Procedures:*

<i>Ingestion:</i>	DO NOT INDUCE VOMITING. CALL DOCTOR IMMEDIATELY. ASPIRATION HAZARD - GIVE NOTHING BY MOUTH, MATERIAL CAN ENTER LUNGS AND CAUSE SEVERE LUNG DAMAGE. IF POSSIBLE DO NOT LEAVE VICTIM UNATTENDED. ASPIRATION OF MATERIAL INTO THE LUNGS DUE TO VOMITING CAN CAUSE PNEUMONITIS WHICH CAN BE FATAL. FOR ANY OTHER PERSISTENT IRRITATION, GET MEDICAL ATTENTION.
<i>Eyes:</i>	FLUSH WITH LARGE AMOUNTS OF WATER FOR AT LEAST 15 MINUTES
<i>Skin:</i>	WASH EXPOSED AREA WITH SOAP AND WATER
<i>Inhalation:</i>	REMOVE TO FRESH AIR.

**Section VII - PRECAUTIONS FOR SAFE HANDLING AND USE***Steps to be taken in case Material is released or spilled:*

CONSULT ALL REGULATIONS (FEDERAL, STATE, PROVINCIAL, LOCAL) OR A QUALIFIED WASTE DISPOSAL FIRM WHEN CHARACTERIZING WASTE FOR DISPOSAL. ACCORDING TO EPA (40CFR261), WASTE OF THIS PRODUCT IS NOT DEFINED AS HAZARDOUS. DISPOSE OF WASTE IN ACCORDANCE WITH ALL APPLICABLE REGULATIONS.

*Waste Disposal Method:*

DISPOSE OF MATERIAL THROUGH A LICENSED WASTE DISPOSAL COMPANY. FOLLOW ALL FEDERAL, STATE, AND LOCAL REGULATIONS.

*Precautions to be Taken in Handling and Storage:*

STORE IN TIGHTLY CLOSED CONTAINERS IN A COOL, DRY PLACE AWAY FROM SOURCES OF HEAT OR IGNITION. GROUND AND BOND ALL TRANSFER AND STORAGE EQUIPMENT.

*Other Precautions:*

STORE AND HANDLE CONTAINERS AS COMBUSTIBLE LIQUID. EMPTY CONTAINERS MAY CONTAIN RESIDUE AND CAN BE DANGEROUS. DO NOT CUT, WELD, BRAZE, DRILL, GRIND, OR PRESSURIZE. CONTAINERS MAY EXPLODE AND CAUSE INJURY OR DEATH.

**FOR INDUSTRIAL USE ONLY****Section VIII - CONTROL MEASURES**

<i>Respiratory Protection (Type):</i>	NIOSH/OSHA APPROVED RESPIRATOR WHERE LIMITS ARE REACHED
<i>Ventilation: Local Exhaust:</i>	PROVIDE SUFFICIENT TO MAINTAIN EXPOSURE BELOW TLV(s)
<i>Mechanical (General):</i>	IF NECESSARY
<i>Special:</i>	
<i>Other:</i>	
Protective Clothing:	RESISTANT - NITRILE RUBBER GLOVES
Eye Protection:	CHEMICAL SPLASH GOGGLES
Other Protective Clothing or Equipment:	WEAR IMPERVIOUS CLOTHING AS NEEDED. SAFETY SHOWER AND EYE BATH(S) SHOULD BE READILY AVAILABLE.
Work/Hygienic Practices:	PRACTICE GOOD HOUSEKEEPING AND PERSONAL HYGIENE.